


**BOLTLESS RACK – MULTI PURPOSE RACK**

**Light Duty Racking Systems**

max: 100<->800 kg / UDL



**Boltless Rack**

Height	30", 36", 48", 60", 72", 84", 96", 108", 120", 132", 144"
Depth	12", 16", 18", 24", 30", 36", 48"
Length	12", 16", 18", 24", 30", 36", 42", 48", 54", 60", 72", 84", 96"
Shelve Level	4, 5, 6
Decking Material	8mm HDF Board
Loading Capacity	100kgs - 800kgs /UDL per level

**Accessories**



Boltless Bracket



**Simple Rack**

Height	1810mm, 2110mm, 2410mm
Depth	300mm, 450mm, 600mm
Length	300mm, 450mm, 600mm, 900mm, 1200mm
Shelve Level	4, 5, 6
Decking Material	8mm HDF Board
Loading Capacity	200kgs - 400kgs /UDL per level



Boltless Hook



**Simple Metal Rack**

Height	1810mm, 2110mm, 2410mm
Depth	450mm, 600mm
Length	900mm, 1200mm
Shelve Level	4, 5, 6
Decking Material	Metal Shelving Plate
Loading Capacity	200kgs /UDL per level



AP Stopper



Stock code Holder

\* Also Available : **Medium Duty Rack** \* **LongSpan Shelving Rack** \* **Heavy Duty Rack**

**BOLTLESS RACK – MULTI PURPOSE RACK**

**Page 2**




- Picture Shown is **Simple Rack** , Color : Beige color Frame
- Available in ( 3'L or 4'L ) ( Depth : 1'D , 1.5'D , 2'D ) ( Height : 6'H , 7'H , 8'H )  
Loading Capacity : 200kg UDL per level

**BOLTLESS RACK – MULTI PURPOSE RACK**



- Picture Shown is **Boltless Rack** :
- Color : Blue color Post + Yellow color Beam
- Available in 1'L , 1.5'L , 2'L , 3'L , 3.5'L , 4'L , 5'L , 6'L , 7'L , 8'L
- Depth : 1'D , 1.5'D , 2'D , 2.5'D , 3'D , 3.5'D , 4'D
- Height : 2.5'H , 3'H , 4'H , 5'H , 6'H , 7'H , 8'H , 9'H , 10'H , 11'H , 12'H
- Loading Capacity : 200kg to 800 Kg UDL per level

# BOLTLESS RACK



Dimension : H x D x L x levels x Decking Material

**Specifications:**

Height	2.5' , 3' , 4' , 5' , 6' , 7' , 8' , 9' , 10' , 11' , 12'
Depth	1' , 16" , 1.5' , 2' , 2.5' , 3' , 3.5' , 4'
Length	1' , 16" , 1.5' , 2' , 2.5' , 3' , 3.5' , 4' , 5' , 6' , 7' , 8'
Decking Material & Thickness	HDF (High Density Fiber Board) / P/W (Plywood) 8mm , 9mm , 12mm
Loading Capacity	100 kg / UDL - 800 kg / UDL
Finishing	Anti Rust Epoxy Powder Coating
Colour	( Beam ) Sunny Yellow / ( Angle Post ) Marine Blue


**BOLTLESS RACK – MULTI PURPOSE RACK**



**HEAVY DUTY SHELVING**

Height (mm)	1200, 1500, 1800, 2100, 2400, 2700, 3000, 3300, 3600
Depth (mm)	450, 600, 750, 900, 1050, 1200, 1500
Length (mm) (clear entry)	900, 1200, 1350, 1500, 1800, 2100, 2400, 2700, 3000, 3300, 3600
Shelve Level	2, 3, 4, 5
Decking Material	12mm HDF Board/Plywood
Loading Capacity	1000kg, 2000kg, 3000kg/UDL per level
Available Colours	■ Frame Set, ■ Beam

Dimension: (H) x (D) x (L) x Shelve Levels x Decking Material



**SELECTIVE PALLET RACKING**

- Allow instantaneous access to stored articles without incurring load crushing.
- Offers an excellent stock rotation function and only uses 40% of warehouse floor space.
- Can be set-up in single and double-sided runs to suit all forklift and hand pallet trucks.
- Offers a low start-up solution.


Height (mm)	1800, 2100, 2400, 2700, 3000, 3300, 3600, 3900, 4200, 4500, 4800, 5100, 5400, 5700, 6000, 6300, 6600, 6900, 7200, 7500
Depth (mm)	600, 750, 900, 1050, 1200
Length (mm) (clear entry)	900, 1200, 1350, 1500, 1800, 2100, 2400, 2700, 3000, 3300, 3600
Shelve Level	2, 3, 4, 5, 6
Decking Material	Bay (without plywood)
Loading Capacity	1000kg, 2000kg, 3000kg/UDL per level
Available Colours	■ Frame Set, ■ Beam

Dimension: (H) x (D) x (L) x Shelve Levels x Bay (without Plywood)

**Standard Part – Beam Profile**



OUBZ 38x75



OUCB 25x90




OUBB 40x100



OUBB 40x85



OUBB 40x125



OUBB 50x130

**Upright Post**



TP Series



UP Series

**HEAVY DUTY RACKS**